



REV	BY	DATE	ECN/ERO	DESCRIPTION
00	Jinlong	08/26/17	-	PRODUCTION RELEASE



NOTES:


- ① Wire are AWG30,1/30, Solid wire.
- 2. Lapped both side, height is 2.438 ± 0.051 mm, flatness and parallel is 0.051 mm.
- ③ Non sealing around TEM.
- ④ ACR: 1.902-2.113-2.325 ohms(23°C)



REFERENCE ONLY!	
Nominal Specs (@ 25°C)	
I_{max} (A)	1.5
U_{max} (V)	3.5
Q_{max} (W)	3.2
ΔT_{max} ($^{\circ}\text{C}$)	64

Ceramic Material: Alumina(Al_2O_3)
Solder Construction: 232°C SbSn

NOTE:
ALL DIMENSIONS = mm

 <p>4707 DETROIT AVE CLEVELAND, OHIO 44102</p> <p>PH. (216) 939-2300 FAX (216) 939-2310</p>		P/N	DESCRIPTION	
		387001815	ET15,31,F2A,0909,11,W2.25	
SURFACE FINISH (UNLESS OTHERWISE SPECIFIED)		TITLE		
3.2 $\sqrt{\mu\text{m}}$ 125 $\sqrt{\mu\text{in}}$		THERMOELECTRIC MODULE		
BREAK ALL EDGES; 0.015 [0.40mm] x 45°		232° SbSn CONSTRUCTION		
DRAWN BY		DWG NO	REV	
Jinlong		387001815	00	
INITIATED BY				
APPROVAL				